

STRTRA-03

Dept. Name:	Engineering Workshop	RA no*:		Rev No.*		Date:	
-------------	----------------------	---------	--	----------	--	-------	--

Work / Activity Details: . Use of Hand Tools

Sect.1. Risk Assessment Table

Sub Task/Activity	Hazards Identified	RA Criteria (People/Environment/ Property/Process)	Consequences	Existing Control Measures	Severity** Rating (A) of consequences with existing controls	Likelihood** Rating (B) (Refer Table in Sect.2)	Risk Level**	Additional Controls (if any)	Person Responsib le	Agreed time	New Severity Rating(A1)	New Likelihood Rating(B1)	Residual Risk (Decision to
Use of Handtools	Damaged/ worn tools	People	Injury	All tools are to be checked prior to use, to ensure there are no defects that can result in injury.	3	2	6	All damaged tools to be quarantined until repaired or renewed.			2	2	4	Y
				Hammers, loose heads or damaged shaft to repaired.	3	2	6	Hammer head to be secured with wedge. Hammer shaft to be replaced.			2	2	4	Y
				Chisels with mushroomed head or damage cutting edge	3	2	6	Head to be ground to remove mushroom and cutting edge to be restored.			2	2	4	Y
				Worn spanners to be discarded and replaced with new.	3	2	6	Replace with new			2	2	4	Y
				Damaged screwdrivers to be replaced.	3	2	6	Replace with new			2	2	4	Y
				Damaged socket spanners and ratchets to be discarded	3	2	6	Replace with new.			2	2	4	Y
				Worn hacksaw blades	3	2	6	Replace with new.			2	2	4	Y



C7	r.	ГО	Λ	Λ	4
. O I	. .	ıĸ	м.	·u	١.

Sub Task/Activity	Hazards Identified	RA Criteria (People/Environment/ Property/Process)	Consequences	Existing Control Measures	Severity** Rating (A) of consequences with existing controls	Likelihood** Rating (B) (Refer Table in Sect.2)	Risk Level**	Additional Controls (if any)	Person Responsib le	Agreed time	New Severity Rating(A1)	New Likelihood Rating(B1)	Residual Risk (Decision to

- *Numbering guidance: a. New RA No. if it is a fresh case. b. Old RA No. with new date if no change is hazards. c. Old RA No. inserting Rev. No & new date if there are additional Hazards
- ** Refer RA Matrix (Sect. 2 Table 1,2,3, of this Form for Hazards / Consequences Evaluation (Likelihood/Severity) to People, Environment and/or Property / Commercial aspects as applicable to arrive at ratings of (A) & (B).
- *** Refer Risk Level table (Sect.2 Table 4 of this form)). If results are either in yellow or red consider additional measures to mitigate the risk.
- · 'Contingency Plans' to limit the impact of unplanned occurrences/ failure of control measures to be discussed and recorded in the section below.
- During review of the RA process, if scope for improvement of the documented HSE procedure for the operation/activity is identified, same should be recorded in the comments section below.

Contingency Plans :		
Comments :		
Signed:		
-		Date
Reviewer's Comments:		
Signed:		
	Name / Position / Signature	 Date

Rev: 02 5th Feb 2024



STRTRA-03

SECT 2: Risk Ranking Matrices & Risk Level Tables

					(Severity of)Consequence-A		
TABLE 1	TABLE 1 : - PEOPLE		FAC: First Aid Case	LTI: Lost Time Incident	Hospital: Injury requiring Hospitalization or LTI >24hours	Perm Disability: Injury resulting in permanent disability	Fatality: Injury resulting in death
<u> </u>		Rating	1	2	3	4	5
ice)	Happened several times per annum in a location/ship (Very likely)	5	5	10	15	20	25
ner 20	Happened several times per annum within the company (Likely)	4	4	8	12	16	20
ed ∰	Happened within our company at least once (Unlikely)	3	3	6	9	12	15
Likelihood i Sonsequend B	Heard Within the industry (Highly unlikely)	2	2	4	6	8	10
ં 8	Never heard within the industry (Almost NIL chances)	1	1	2	3	4	5

	TABLE 2: PROPERTY / COMMERCIAL			(Severity of)Consequence-A						
TABLE 2: PROPERTY / COMMERCIAL			GBP 10. Damage to property/equipment	GBP 50. Damage to property/equipment	GBP 100. Damage to property/equipment	GBP 500. Damage to property/equipment	GBP 1000 Damage to property/equipment			
		Rating	1	2	3	4	5			
d Of	Happened several times per annum in a location/ship (Very likely)	5	5	10	15	20	25			
duer B	Happened several times per annum within the company (Likely)	4	4	8	12	16	20			
elihc sequ	Happened within our company at least once (Unlikely)	3	3	6	9	12	15			
ike	Heard Within the industry (Highly unlikely)	2	2	4	6	8	10			
: <u> </u>	Never heard within the industry (Almost NIL chances)	1	1	2	3	4	5			

	TABLE 3:	(Severity of) Consequence (To be defined)\#* - A						
RA - MATRIX FOR MOC			Negligible	Minor	Moderate	Major	Catastrophic	
ą		Rating	1	2	3	4	5	
ences	Very likely	5	5	10	15	20	25	
nbəsuo	Likely	4	4	8	12	16	20	
d Of Cc	Unlikely	3	3	6	9	12	15	
Likelihoo	Highly unlikely	2	2	4	6	8	10	
<u> </u>	Almost NIL chances	1	1	2	3	4	5	

Rev: 02 5th Feb 2024



STRTRA-03

Table 4:	Meaning	Action
Risk Levels		
1 - 7	Tolerable	Risk is acceptable and job can be undertaken. Consideration may be given for further reduction of risk if reasonably possible. However, in case value is above 4, continuous monitoring
		is required to ensure existing controls are maintained.
8 - 11	Moderate	Efforts are to be made to reduce the risk by placing additional controls with an aim to bring down Risk Level to Green zone.
12 - 25	Substantial	Efforts are to be made to reduce the risk to green/yellow rating by placing additional controls and taking appropriate action as defined above. However, If the final risk level is in the red zone then no job shall be undertaken. Until the final risk level is reduced so that it is no longer in the red zone the job shall not be undertaken."

Rev: 02 5th Feb 2024